



# ThinkSystem Servers: 42 World Record Benchmark Results

## Article

Lenovo unveiled an end-to-end data center server portfolio that enables customers to harness the power of the “intelligence revolution” and create a strong technology foundation that supports transformative capabilities such as data analytics, high-performance computing, hybrid cloud, artificial intelligence and machine learning.

Building on Lenovo’s number one position in [customer satisfaction](#) and [server reliability for x86 servers](#), Lenovo has delivered 42 #1 world-wide benchmarks on ThinkSystem server platforms.



### TPC-E – 2 Socket World Record

The Lenovo ThinkSystem SR650 using the Intel Xeon Scalable processors delivered 2P TPC-E benchmark performance records.

**About this benchmark:** The TPC-E benchmark is designed to enable clients to more objectively measure and compare the performance and price of various OLTP systems. The TPC-E benchmark uses a database to model a brokerage firm with customers who generate transactions related to trades, account inquiries, and market research. Although the underlying business model of TPC-E is a brokerage firm, the database schema, data population, transactions, and implementation rules have been designed to be broadly representative of modern OLTP systems.

**Why it matters:** If you are running On-Line Transaction Processing workloads and databases, a leadership benchmark score means this server is the highest performing server for your data-intensive OLTP transactions.

Read the [TPC-E performance benchmark report](#).

### TPC-H – 4 socket -10,000GB Performance World Record

The Lenovo ThinkSystem SR950 using the Intel Xeon Scalable processors delivered a non-clustered TPC-H benchmark @10,000GB scale benchmark performance record.

**About this benchmark:** The TPC-H benchmark is an ad-hoc, decision support benchmark. It consists of a suite of business oriented ad-hoc queries and concurrent data modifications. The queries and the data populating the database have been chosen to have broad industry-wide relevance. This benchmark illustrates decision support systems that examine large volumes of data, execute queries with a high degree of complexity, and give answers to critical business questions.

**Why it matters:** For those running decision support queries against large databases, a leadership benchmark score means this server is the highest performing server for your decision support applications.

Read the [TPC-H performance benchmark report](#).



Figure 1. Lenovo ThinkSystem SR950

## SPECmpiM – 2 Socket World Record

The Lenovo ThinkSystem SR650 using the Intel Xeon Scalable processors delivered 2P SPECmpiM benchmark performance record.

**About this benchmark:** The SPEC MPI® 2007 benchmark suite is for evaluating MPI-parallel, floating point, compute intensive performance across a wide range of cluster and SMP hardware. This suite continues the SPEC tradition of giving users the most objective and representative benchmark suite for measuring and comparing high-performance computer systems.

**Why it matters:** If you are running HPC workloads up to 2048 cores, this leadership benchmark score means this server is the highest performing server for your parallel computing systems and clusters running actual end-user Message-Passing Interface applications.

Read the [SPECmpiM performance benchmark report](#).

## SPECvirt – 2 Socket World Record

The Lenovo ThinkSystem SR650 using the Intel Xeon Scalable processors delivered 2P SPECvirt benchmark performance record.

**About this benchmark:** The SPECvirt\_sc2013 benchmark measures the end-to-end performance of all system components including the hardware, virtualization platform, and the virtualized guest operating system and application software. SPECvirt\_sc2013 is the second-generation SPEC benchmark for evaluating the virtualization performance of datacenter server consolidation, including enterprise class workloads. [Link to news brief](#)

**Why it matters:** If you are virtualizing multiple workloads, a leadership benchmark score means this server is the highest performing server for memory intensive virtualized environments.

Read the [SPECvirt\\_sc2013 performance benchmark report](#).




Figure 2. Lenovo ThinkSystem SR650

## SPECjbb2015 – 1 Socket, 2 Socket, 4 Socket and 8 Socket World Records

The Lenovo ThinkSystem SR650 and SR950 using the Intel Scalable Xeon processors delivered 1P, 2P, 4P and 8P SPECjbb2015 benchmark performance records.

**About this benchmark:** The SPECjbb2015 benchmark has been developed from the ground up to measure performance based on the latest Java application features. It is relevant to all audiences who are interested in Java server performance, including JVM vendors, hardware developers, Java application developers, researchers and members of the academic community.

**Why it matters:** If you are interested Java server performance, a leadership benchmark score means this server is the highest performing server for the latest Java application response time and throughput.

Read the performance benchmark reports:

- [SR650 with 1 processor](#)
- [SR650 with 2 processors](#)
- [SR950 with 4 processors](#)
- [SR950 with 8 processors](#)

## SPECcpu2006 – 8 Socket World Record

The Lenovo ThinkSystem SR950 using the Intel Xeon Scalable processors delivered 8P SPECcpu2006 benchmark performance record.

**About this benchmark:** The SPEC CPU 2006 benchmark is an industry-standardized, CPU-intensive benchmark suite, stressing a system's processor, memory subsystem and compiler. It provide a comparative measure of compute-intensive performance across the widest practical range of hardware using workloads developed from real user applications. SPECfp is the floating point measurement of SPECcpu focusing on highly scientific workloads. SPECint is the integer component of SPECcpu focusing on integer-math based workloads.

**Why it matters:** If you are running compute-intensive workloads, a leadership benchmark score means this server is the highest performing server for how fast a server completes a task (speed) and/or how much a server can accomplish in a certain time (throughput or rate measurement).

Read the [SPEC CPU 2006 performance benchmark report](#).

## STAC-M3 – 4 Socket World Records (11 of 17 measurements)

The Lenovo ThinkSystem SR950 using the Intel Xeon Scalable processors delivered 11 4P STAC-M3 benchmark performance records.

**About this benchmark:** The STAC-M3 benchmarks measures challenging areas such as time-series analytics, risk simulations, and processing of very high-speed data (17 total measurements). The key metric is query response time. In particular STAC benchmarks test high-speed analytics on time-series data -- tick-by-tick market data. The benchmark is used by large global banks, brokerage houses, exchanges, hedge funds, proprietary trading shops, and other market participants.

**Why it matters:** If you are processing high speed financial services or securities, a leadership benchmark score means this server is the highest performing server to process your high speed analytics and financial transactions.

Read the [STAC-M3 performance benchmark report](#) .

## **STAC-M3 – 2 Socket World Records (15 of 17 measurements)**

The Lenovo ThinkSystem SR650 using the Intel Xeon Scalable processors delivered 15 2P STAC-M3 benchmark performance records.

**About this benchmark:** The STAC-M3 benchmarks measures challenging areas such as time-series analytics, risk simulations, and processing of very high-speed data (17 total measurements). The key metric is query response time. In particular STAC benchmarks test high-speed analytics on time-series data -- tick-by-tick market data. The benchmark is used by large global banks, brokerage houses, exchanges, hedge funds, proprietary trading shops, and other market participants.

**Why it matters:** If you are processing high speed financial services or securities, a leadership benchmark score means this server is the highest performing server to process your high speed analytics and financial transactions.

Read the [STAC-M3 performance benchmark report](#) .

## **Related product families**

Product families related to this document are the following:

- [Mission-Critical Rack Servers](#)
- [2-Socket Rack Servers](#)
- [4-Socket Rack Servers](#)
- [8-Socket Rack Servers](#)
- [SPECcpu Benchmark Results](#)
- [SPECjbb Benchmark Results](#)
- [SPECmpi Benchmark Results](#)
- [SPECvirt Benchmark Results](#)
- [STAC-M3 Benchmark Results](#)
- [TPC-E Benchmark Results](#)
- [TPC-H Benchmark Results](#)

## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.  
1009 Think Place - Building One  
Morrisville, NC 27560  
U.S.A.  
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

**© Copyright Lenovo 2018. All rights reserved.**

This document, LP0698, was created or updated on July 11, 2017.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:  
<http://lenovopress.com/LP0698>
- Send your comments in an e-mail to:  
[comments@lenovopress.com](mailto:comments@lenovopress.com)

This document is available online at <http://lenovopress.com/LP0698>.

## Trademarks

Lenovo, the Lenovo logo, and For Those Who Do are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <http://www3.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkSystem

The following terms are trademarks of other companies:

Intel® and Xeon® are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

TPC, TPC-E, and TPC-H are trademarks of Transaction Processing Performance Council.

SPEC®, SPEC CPU®, SPECfp®, SPECint®, and SPEC MPI® are trademarks of the Standard Performance Evaluation Corporation (SPEC).

Other company, product, or service names may be trademarks or service marks of others.